

Cover image: Coil-in-shell device and histological section of a treated canine bifurcation aneurysm 12 weeks post treatment (left). WEB device and explanted canine bifurcation aneurysm 6 months post treatment (right).

Editor Robert W Tarr

Associate Editors Felipe Albuquerque Michael Chen Dave Fiorella

Dave Fiorella Rishi Gupta Joshua Hirsch Italo Linfante William Mack J Mocco Ansaar Rai

Assistant Editors, Social Media Andrew Ducruet Kyle Fargen

Assistant Editor, Point-Counterpoint Section

Kristine Blackham Assistant Editor, Book Review Section

Albert Yoo Assistant Editor, Basic Science

Assistant Editor, Basic Scienc Matthew Gounis SNIS Executive Director

Marie Williams Editorial Office Journal of NeuroInterventional Surgery BMJ

Publishing Group Ltd BMA House Tavistock Square London, WC1H 9JR, UK

T: +44 (0)20 7383 6170 E: info.jnis@bmjgroup.com

Guidelines for authors and reviewers Full instructions are available online at http://

run instructures are evaluate online ar http:// JUIS.bmj.com/fora. Articles must be submitted electronically http://mc.manuscriptcentral.com/ jnis. Authors retain copyright but are required to grant JNIS an exclusive licence to publish http://JNIS.bmj.com/fora/licence.dtl

ISSN: 1759-8478 (print) ISSN: 1759-8486 (online) Twitter: **@JNIS_BMJ**

Disclaimer: While every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinions, or statements appear in this Journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned.

responsionity of the continuous of adverser concenteu. Accordingly, the publishers and the Society of NeuroInterventional Surgery, the editorial committee and their respective employees, officers and agents, accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement. While every effort is made to ensure that drug doses and other quantities are presented accurately, readers are advised that new methods and techniques involving drug usage, described within this Journal, should only befollowed in conjunction with the drug manufacturer's own published literature.

Copyright: © 2015 Society of NeuroInterventional Surgery. All rights reserved; no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without prior permission. Journal of NeuroInterventional Surgery is published by BMJ Publishing Group Ltd, typeset by Techset, India and printed in the US.

Journal of NeuroInterventional Surgery (ISSN 1759-8478) is published monthly by BMJ Publishing Group and is distributed in the USA by Air Business Ltd. Periodicals postage paid at Jamaica NY 11431. POSTMASTER: send address changes to Journal of NeuroInterventional Surgery, Air Business Ltd, c/o Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA.

Contents

Editor's column

549 Casting a wide net: the unique diversity of neuroendovascular surgery *W | Mack*

Ischemic stroke

- **551** Impact of the ASPECT scores and distribution on outcome among patients undergoing thrombectomy for acute ischemic stroke *A M Spiotta, J Vargas, H Hawk, R Turner, M I Chaudry, H Battenhouse, A S Turk*
- **559** M1 is not M1 in ischemic stroke: the disability-free survival after mechanical thrombectomy differs significantly between proximal and distal occlusions of the middle cerebral artery M1 segment *D Behme, A Kowoll, W Weber, A Mpotsaris*

564 Picture-to-puncture time in acute stroke endovascular intervention: are we getting faster? *J van Heerden, B Yan, L Churilov, R J Dowling, P J Mitchell*

Hemorrhagic stroke

- **569** Minimally invasive cone beam CT-guided
- evacuation of parenchymal and ventricular hemorrhage using the Apollo system: proof of concept in a cadaver model D Fiorella, A Arthur, S Schafer

574 Posterior circulation flow diversion: a single-center experience and literature review *G* Toth, *M* Bain, *M* S Hussain, S Moskowitz, *T* Masaryk, P Rasmussen, F Hui

New devices

- 584 Preliminary in vivo evaluation of a novel intrasaccular cerebral aneurysm occlusion device
 - R Moftakhar, F Xu, B Aagaard-Kienitz, D W Consigny, J R Grinde, K Hart, C E Flanagan, W C Crone, K S Masters

591 Interobserver variability in the assessment of aneurysm occlusion with the WEB aneurysm embolization system *D Fiorella, A Arthur, J Byrne, L Pierot,*

A Molyneux, G Duckwiler, T McCarthy, C Strother

Neuroimaging

596 Technical limitations of dual-energy CT in neuroradiology: 30-month institutional experience and review of literature *J Dinkel, O Khalilzadeh, C M Phan, A H Goenka, A J Yoo, J A Hirsch, R Gupta*

Head and neck

- **603** Primary endovascular treatment of post-irradiated carotid pseudoaneurysm at the skull base with the Pipeline embolization device
 - A C-O Tsang, K-m Leung, R Lee, W-m Lui, G K-K Leung
- **608** Balloon-augmented Onyx endovascular ligation: initial human experience and comparison with coil ligation

T Osanai, M D Bain, G Toth, M S Hussain, F K Hui


Socioeconomics

614 Analysis of short-term total hospital costs and current primary cost drivers of coiling versus clipping for unruptured intracranial aneurysms

Y Duan, K Blackham, J Nelson, W Selman, N Bambakidis

619 The ICD-10 system: a gift that keeps on taking J A Hirsch, T M Leslie-Mazwi, G N Nicola, R Oklu, K A Schoppe, E Silva III, L Manchikanti

MORE CONTENTS



See http://jnis.bmj.com/site/about/guidelines.xhtml#open

COPE COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

http://publicationethics.org/

♦recycle

When you have finished with this please recycle it

network

Receive regular table of contents by email Register using this QR code.



J NeuroIntervent Surg: first published as on 1 August 2015. Downloaded from http://jnis.bmj.com/ on May 25, 2025 at Department GEZ-LTA Erasmushogeschoot. Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.



Electronic pages

- **e27** Onyx embolization of an avulsed thalamoperforator following endoscopic colloid cyst and lamina terminalis fenestration *R D Turner, I Chaudry, A Turk, A Spiotta*
- **e28** Spontaneous closure of a dural arteriovenous fistula

S Al-Afif, M Nakamura, F Götz, J K Krauss

e29 Immunohistochemical analysis of a ruptured basilar top aneurysm autopsied 22 years after embolization with Guglielmi detachable coils

> I Yuki, D Spitzer, G Guglielmi, G Duckwiler, M Fujimoto, H Takao, R Jahan, S Tateshima, Y Murayama, F Vinuela

e30 Transvenous approach for the treatment of direct carotid cavernous fistula following Pipeline embolization of cavernous carotid aneurysm: a report of two cases and review of the literature

L-M Lin, G P Colby, B Jiang, G Pero, E Boccardi, A L Coon

Correction

622 Correction